



## STREET SCENE EQUIPMENT, INC.

365 McCormick Avenue  
Costa Mesa, Ca. 92626  
Phone (714) 426-0590 Fax (714) 426-0591

950-73625

2010

FORD MUSTANG GT  
PLASTIC GRILLE SHELL  
CENTER MOUNT STYLE

### INSTALLATION INSTRUCTIONS

**NOTE:** Fit all parts before painting ( See Special Instructions For Paint Prep. ) Parts that have been installed, preped, or painted are not returnable.

#### NOTE:

Check fit all body parts **PRIOR** to paint. Follow urethane prep instructions before painting. Take your time and pre-fit all pieces so that they will have a tight fit to the body.

**VERY IMPORTANT !** Read and understand all directions and check the following parts list before starting installation.

PARTS LIST					
1	Grille Shell	1	Instruction Sheet	1	Wire Extension

TOOL LIST	
Flat Blade Screwdriver, 8MM Socket, 7MM Socket	

1. Open hood.
2. Remove the 8 push in fasteners to the top air shroud and remove.



3. Release the tabs on the inside of grille shell. There are 6 across the bottom and two on each side. Also remove the two 8 MM bolts at each end of shell. Use a flat blade screwdriver to help to release the tabs.



4. Gently pull the factory grille shell away from vehicle and remove the wires to the lights.



5. Next remove the lights from the stock shell and re-install them on your new street scene grille shell.



6. Now re-install your new grille shell and install the wires back on the lights. You will need one extension for for the passenger side to reach the plug end. Gently push back into place.





7. Replace the two bolts at each end of shell.



8. Replace the air shroud. You will need to slide it under the grille shell then put all of the push in fasteners back into place.



**CONGRATULATIONS !!!!!!!!!!!!!!!!!!!!!!!!!!!!!**

